

REMABEN SCIENTIFIC SERVICES LTD.

RC:614912

ISO/IEC 17025:2017 Accredited Lab

Public Analysts & Environmental Consultants

32, Akinremi Street, Anifowoshe, Ikeja, Lagos, Nigeria. (1st Floor, Glass House)

Tel: +234 8023037743, +234 8052160352, +234 8099413717, +234 7067560842

Email: remabenscientific@gmail.com, info@remabenscientific.com, remabenscientific@yahoo.com,

Website: www.remabenscientific.com



TESTING
No. T0013



IPAN Registered Lab No. 0008

CERTIFICATE OF ANALYSIS

(Institute of Public Analysts of Nigeria, IPAN Act CAP I.16 LFN 2004, formerly Decree 100 of 1992)

Lab. Sample Ref No: KFC/02/06/2025/1748/158/98/59259

Page 1 of 1 (QF 7.4/02)

Name of Client: DEVYANI INTERNATIONAL (NIGERIA) LTD

Certificate No: 0059259

Address: 110/114, OSHODI-APAPA EXPRESSWAY, ISOLO, LAGOS STATE

Laboratory Environmental Conditions: Humidity, %: 61 Temperature, oC: 24 COA Version:1, Date: 18/06/2025

Sample Name/Label: ICE BERG LETTUCE - VIVERDA FARM

Sample Type : GREEN/FRESH VEGETABLES

Date Received in Lab: 02/06/2025

Batch No: Not stated

Date Analysed in Lab: 3 to 18 June 2025

Net Content:

Country of Origin: Nigeria

I, BENJAMIN A. MIACHI, the undersigned Registered PUBLIC ANALYST No: 00329, REMABEN SCIENTIFIC SERVICES LTD, ISO/IEC 17025:2017, a NiNAS-accredited testing laboratory-No: T0013 and IPAN Registered Lab. No: 0008, do hereby certify that on 02/06/2025 the above mentioned sample was submitted to our Laboratory by you (the Customer) for testing. The sample was tested while in the same condition as received in the Lab and our test results are:

PHYSICAL AND CHEMICAL ANALYSIS:

Tests performed/Unit	Result	Uc	Limit	Test Method
GENERAL APPEARANCE	Round leafy green vegetable			Visual
MOISTURE@105 oC (Oven dry, 3Hrs), %	96.0		Not Stated	AOAC 925.10
TOTAL ASH (minerals), %	0.51		N.S	AOAC 920.48
SODIUM CHLORIDE (Salt), %	0.00		N.S	AOAC 937.09
pH (10% Solution), @25 oC	6.4		N.S	AOAC 940.23
PROTEIN (TKN x 6.25), %	1.2		N.S	AOAC 920.87
TOTAL FAT, %	0.27		N.S	AOAC 922.06
TOTAL CARBOHYDRATE, %	2.02		N.S	Calculated
LEAD (as Pb), mg/kg	0.001		N.S	AOAC 999.11
ARSENIC (as As), mg/kg	0.001		N.S	AOAC 999.11
CADMIUM (as Cd), mg/kg	0.001		N.S	AOAC 999.11
SODIUM (as Na), mg/100g	0.00		N.S	AOAC 966.16
IRON (as Fe), mg/100g	0.13		N.S	AOAC 944.02
CALCIUM (as Ca), mg/100g	61.8		N.S	AOAC 991.25
MAGNESIUM (as Mg), mg/100g	37.5		N.S	AOAC 991.25
PHOSPHORUS as P2O5, mg/100g	22.1		N.S	AOAC 970.39
ENERGY VALUE, Kcal/100g	15.2		N.S	Calculated
SULPHUR DIOXIDE (as SO2), mg/kg	0.00		N.S	AOAC 940.20
TOTAL ACIDITY (as Citric acid), %	0.07		N.S	AOAC 942.15
TOTAL SUGAR (as Invert), %	0.96		N.S	AOAC 925.35
REDUCING SUGARS, %	0.00		N.S	AOAC 925.35
STARCH (by diff.), %	0.00		N.S	Calculated

MICROBIAL EXAMINATION:

Microbial Group	Result	Unit	Limit	Test Method
E.Coli	0	CFU/g	50max.	AOAC 966.24
Total Coliforms	40	CFU/g	100max.	AOAC 966.24
Faecal Streptococci	0	CFU/g	0	AOAC 966.24
Staphylococcus aureus	0	CFU/g	0	AOAC 975.55
Salmonella	Absent	in 25g	0	AOAC 967.27
Shigella	Absent	in 25g	0	AOAC 967.27
Vibrio	0	CFU/g	0	AOAC 988.20
Yeast/Moulds	30	CFU/g	100max.	AOAC 940.37E
Total Plate count	120	CFU/g	10,000max.	AOAC 966.23C

Abbreviations: Accredited = NiNAS Accredited Scope; N.S = Not Stated
APHA = American Public Health Association (24th Edition, 2023),
AOAC = Association of Official Analytical Chemists (AOAC Int'l)
ASTM = American Society for Testing and Materials
Uc = Uncertainty of Measurements (K=2)

Note: NiNAS is a full Member of AFRAC and an Associate Member of ILAC.
AFRAC is African Accreditation Cooperation
ILAC is International Laboratory Accreditation Cooperation



COMMENTS/DISCLAIMER/REMARKS

This test report is issued according to the requirements of ISO/IEC 17025:2017 standard, requirement of accreditation body (NiNAS) and traceability to SI units. This test report is not to be reproduced except in full, without written approval of the lab Director. Results of this analysis relate to only items tested and the comments are advisory only, the customer is responsible for the sampling, the validity of the data may be impaired by a non-representative sample.

From the microbial examination, absence of pathogenic microorganisms and low total plate count suggest satisfactory microbial quality for a fresh/green vegetable.

Lab Analyst: Adedun B.A
Sign/date: 18 June, 2025
As witness my hand and issued on this 18 June, 2025

Authorized/Approved by: Laboratory Director.
Name: MIACHI, Benjamin Akwu (FIPAN)



[Handwritten signature]